

# Symbol LS-2208 Programming Barcodes

Scanning the following barcodes sequentially will program a Symbol LS-2208 scanner with **USB** interface for complete WordStock barcode scanning capability.

1.



**Set All Defaults**

4.



**Begin New Rule**

2.



**\*HID Keyboard Emulation**

5.



**Code 128**

3.



**Autodiscriminate UPC/EAN Supplementals**

6.



**Send All Data That Remains**

7.



**Send Control M**

11.



**Send ;**

8.



**Save Rule**

12.



**Send All Data That Remains**

9.



**Begin New Rule**

13.



**Send ?**

10.



**Code 39**

14.



**Send Control M**

15.



**Save Rule**

19.



**Send All Data That Remains**

16.



**Begin New Rule**

20.



**Send Control M**

17.



**UPC-E**

21.



**Save Rule**

18.



**Send ~**

22.



**Begin New Rule**

23.



UPC-A

27.



Save Rule

24.



Send ^

28.



Begin New Rule

25.



Send All Data That Remains

29



EAN-8

26.



Send Control M

30.



Send }

31.



**Send All Data That Remains**

32.



**Send Control M**

33.



**Save Rule**

34.



**Begin New Rule**

35.



**EAN-13**

36.



**Send {**

37.



**Send All Data That Remains**

38.



**Send Control M**

39.



**Save Rule**