

WordStock Symbol LS-9100 Programming Barcodes

Symbol LS-9100 Scanner with Keyboard Wedge PS2 Synapse Cable

Scanning the following barcodes sequentially will program a Symbol LS-9100 scanner and Keyboard Wedge PS2 Synapse interface cable for complete WordStock barcode scanning capability.

1.



Set All Defaults

4.



IBM PC/AT

2.



Set Synapse Pc Wedge Defaults

5.



Autodiscriminate UPC/EAN Supplementals

3.



Enable LS 9100 Communication

6.



Begin New Rule

7.



Code 128

11.



Begin New Rule

8.



Send All Data That Remains

12.



Code 39

9.



Send Control M

13.



Send ;

10.



Save Rule

14.



Send All Data That Remains

15.



Send ?

19.



UPC-E

16.



Send Control M

20.



Send ~

17.



Save Rule

21.



Send All Data That Remains

18.



Begin New Rule

22.



Send Control M

23.



Save Rule

27.



Send All Data That Remains

24.



Begin New Rule

28.



Send Control M

25.



UPC-A

29.



Save Rule

26.



Send ^

30.



Begin New Rule

31.



EAN-8

35.



Save Rule

32.



Send }

36.



Begin New Rule

33.



Send All Data That Remains

37.



EAN-13

34.



Send Control M

38.



Send {

39.



Send All Data That Remains

40.



Send Control M

41.



Save Rule