

WordStock *Symbol LS-9100 Programming Barcodes*

Symbol LS-9100 Scanner with USB Synapse Cable

Scanning the following barcodes sequentially will program a Symbol LS-9100 scanner and USB Synapse interface cable for complete WordStock barcode scanning capability.

1.



Set All Defaults

4.



Default USB Type

2.



Set Synapse USB Defaults

5.



HID Keyboard Emulation

3.



Enable LS 9100 Communication

6.



Autodiscriminate UPC/EAN Supplementals

7.



Begin New Rule

11.



Save Rule

8.



Code 128

12.



Begin New Rule

9.



**Send All Data That Re-
mains**

13.



Code 39

10.



Send Control M

14.



SEND ;

15.



**Send All Data That Re-
mains**

19.



Begin New Rule

16.



SEND ?

20.



UPC-E

17.



Send Control M

21.



Send ~

18.



Save Rule

22.



**Send All Data That Re-
mains**

23.



Send Control M

27.



Send ^

24.



Save Rule

28.



**Send All Data That Re-
mains**

25.



Begin New Rule

29.



Send Control M

26..



UPC-A

30.



Save Rule

31.



Begin New Rule

35.



Send Control M

32.



EAN-8

36.



Save Rule

33.



Send }

37.



Begin New Rule

34.



**Send All Data That Re-
mains**

38.



EAN-13

39.



Send {

41.



Send Control M

40.



**Send All Data That Re-
mains**

42.



Save Rule